

ADDENDUM - Variety the Children's Charity

HOUSE RAMP APPLICATION checklist

Please complete in its entirety

Child's Information

- 1) Name: _____
- 2) Diagnosis: _____ Already Given
- 3) Functional presentation of disability: _____ Already Given

Family / Home Information (PICTURES, DRAWINGS AND/OR COMMENTS ON)

- 1) Change of height: _____ Already given
- 2) Length of ramp: _____ Already given
- 2) Thresholds to doorway and ramp: Meets ADA Needs to be addressed Included in bid
- 3) Walkway to top of ramp: Cement Wood Other hard surface Loose stone Earth
 Condition: Good In need of repair Included in bid
- 4) Landing area at top of ramp: 5'X5' min? Yes No
 Cement Wood Other hard surface Loose stone Earth
 Condition: Good In need of repair Included in bid
- 5) Landings at bottom of ramp: 5'X5' min? Yes No
 Cement Wood Other hard surface Loose stone Earth
 Condition: Good In need of repair Included in bid
- 6) Walkway to car: Cement Wood Other hard surface Loose stone Earth
 Condition: Good In need of repair Included in bid
- 7) Zoning requirements met: Yes No
- 8) If the family is renting is there landlord approval: Yes No Not applicable
(A letter of authorization from the landlord must be included.)
- 9) List reason(s) why a ramp is better than using a porch lift if over 5' elevation change:
 Maintenance Cost effective Client preferred
- 10) Family notified if ramp does not meet ADA: Yes No Meets ADA (**see bottom**)
 List reason why ADA was not met:
- 11) Maintenance requirements: None Included in bid Consumer responsibility

(ADA) RAMP NOTES: 1:12 to 1:16 rise to run	
Elevated Height (Rise)	Ramp Distance (Run)
2'	24'
*2.5'	30'
3'	36'
§ 3.5'	42'
4'	48'
4.5'	54'
5'	60'

* after 30' of ramp, there must be a 5' non-sloped segment

§ for a 1:20 rise to run, after 40 feet there must be a 5' non-sloped segment

There must also be a 5' non-sloped area at the top and bottom of every ramp

There must be a 5' X 5' non-sloped section at any change of direction.

Please note: ADA is not intended to be enforced for home use, but is used for the Variety guidelines.